

PRODUCT CATALOGUE

**OUR PETS
DESERVE THE
BEST**





HYALORAL®



Hyaloral Large and Giants Breeds
120 tablets
Hyaloral Large & Giants Breeds
360 tablets Presented in blisters of 12

Hyaloral Gel
50 ml
Oral use

Hyaloral Small and Medium Breeds
90 tablets.
Hyaloral Small and Medium Breeds
270 tablets.
Presented in blisters of 10

Indications of use

A comprehensive formula that delivers essential nutrients to **support the proper development and maintenance of joints, tendons, and ligaments**

Instructions for use

Hyaloral® Gel/solution

- Kittens: 1.5 ml per day.
- Adult cats: 3 ml per day.

Dogs:

- Up to 5 kg body weight: 1.5 ml per day.
- From 5 to 10 kg body weight: 3 ml per day.
- Ferrets and rodents: 0.5 ml per kg of body weight per day.

Hyaloral® Small and Medium breeds

Dogs: 1 tablet per 5 kg body weight per day.

Hyaloral® Large and Giants breeds

Dogs: 1 tablet per 20 kg body weight per day in a single dose.
· From 40 kg body weight, 2 tablets in a single dose. It is recommended to incorporate **Hyaloral®** to the daily diet for a minimum of 3 months.

Composition per tablet

Hyaloral® Gel/solution per ml:

Enzymatic hydrolyzed collagen 182 mg; Glucosamine 26.9 mg; Chondroitin sulfate 16.6 mg; Gamma oryzanol 8.30 mg; Hyaluronic acid 1.64 mg.

Hyaloral® Small and Medium Breeds per tablet:

Enzymatic hydrolyzed collagen 600 mg; Glucosamine 86.2 mg; Chondroitin sulfate 54.6 mg; Gamma oryzanol 27.3 mg; Hyaluronic acid 5.45 mg.

Hyaloral® Large and Giants Breeds per tablet:

Enzymatic hydrolyzed collagen 2.20 g; Glucosamine 313 mg; Chondroitin sulfate 200 mg; Gamma oryzanol 100 mg; Hyaluronic acid 20.0 mg.

HYALORAL[®] PLASMA



Hyaloral Plasma 120 tablets
Hyaloral Plasma 360 tablets
Hyaloral Gel 50 ml
Oral use

Indications of use

A comprehensive formula, with nutrients that **support the proper development and maintenance of joints, tendons, ligaments and to support the normal general immune response of the animal**

Instructions for use

Hyaloral[®] PLASMA Gel/solution

• Kittens: 1.5 ml per day. • Adult cats: 3 ml per day.

Dogs:

• Up to 5 kg body weight: 1.5 ml per day.

• 5-10 kg body weight: 3 ml per day.

• Ferrets and rodents: 0.5 ml per kg of body weight per day.

Hyaloral[®] PLASMA

Dogs: 1/4 tablet/5 kg of body weight per day in a single dose.

Over 40 kg of body weight, 2 tablets a day in a single dose.

Tablet divisible by 4, allowing to dose according to the weight of the pet.

It is recommended to be mixed with the animal's regular food for 3 months minimum. As it is a complementary feed, it can be used continuously.

Composition per tablet

Hyaloral[®] PLASMA Gel/solution per ml: Enzymatically hydrolysed collagen 182 mg; Glucosamine 26.9 mg; Chondroitin sulphate 16.6 mg; Plasma proteins 9.00 mg; Gamma oryzanol 8.30 mg; Hyaluronic acid 1.64 mg.

Hyaloral[®] PLASMA per tablet: Enzymatically hydrolyzed collagen 2.20 g; Glucosamine 313 mg; Chondroitin sulphate 200 mg; Gamma oryzanol 100 mg; Plasma proteins 100 mg; Hyaluronic acid 20.0 mg.



INFLAVET®



Contains 60 tablets in blisters of 10

Indications of use

Naturally aids the **body's response to inflammation, reducing swelling and discomfort.**

Instructions for use

Cats: Half a tablet per day.

Dogs:

- Up to 10 kg of body weight: half a tablet per day.
- 10–20 kg of body weight: 1 tablet per day.
- 20–30 kg of body weight: 1.5 tablets per day.
- From 30 kg of body weight: 2 tablets per day.

If preferred, mix with food.

Composition per tablet

Scutellaria baicalensis dried root 100 mg (Baicalin 80.0 mg);
Boswellia serrata extract 76.9 mg (Boswellic acids 50.0 mg); *Vitis vinifera* dried leaves 50.8 mg (Resveratrol 50.0 mg).

OSCAN®



Contains 60 tablets in blisters of 10

Indications of use

Nutritional support for growing animals, to **assist in the development of bones and cartilage.**

Instructions for use

Cats: 1 tablet per day.

Dogs:

- 1 tablet per 10 kg of body weight per day.
- From 30 kg of body weight: 4 tablets per day.

Composition per tablet

Enzymatic hydrolyzed collagen 265 mg; Calcium 136 mg;
Vitamin C 5.10 mg; Folic acid 900 µg; Vitamin D3 2.50 µg.



VETGASTRIL[®] PLUS



Indications of use

Complementary nutrition supporting **gastric imbalances and promoting healthy digestion.**

Instructions for use

GEL

Cats:

- <5 kg of body weight: 1 ml/day.
- >5 kg of body weight: 2 ml/day.

Dogs:

- Up to 5 kg of body weight: 1 ml/day.
- 5-10 kg of body weight: 2 ml/day.
- 10-15 kg of body weight: 3 ml/day.
- 15-20 kg of body weight: 4 ml/day.
- 20-25 kg of body weight: 5 ml/day.

Ferrets, rodents and birds: 0.2 ml per kg of body weight.

Oral route. Shake before use. Take 1-2 hours before the usual feed. If preferred administer half the dose every 12 hours. Animals should always have access to water.

TABLETS

Dogs:

- 1 tablet/20 kg body weight per day.
- From 40 kg body weight, 2 tablets per day.

Oral route. Take 1-2 hours before the usual food. If preferred administer half the dose every 12 hours. Animals should always have access to water.

DAFORTE[®] PLUS



Includes a 50ml bottle with dosing syringe for oral administration.



Indications of use

A formula enriched with nutrients that **support the intestinal system in addressing specific imbalances** in dogs and cats.

Instructions for use

Cats:

- Up to 5 kg of body weight: 2 ml/day.
- >5 kg of body weight: 4 ml/day.

Dogs:

- Up to 5 kg of body weight: 2 ml/day.
- 5-10 kg of body weight: 4 ml/day.
- 10-15 kg of body weight: 6 ml/day.
- 15-20 kg of body weight: 8 ml/day.
- From 20 kg of body weight: 10 ml/day.

Shake before use. Administer 2 times a day, dividing the daily amount in two doses.

Composition per ml

Fructo-oligosaccharides (FOS) 98.0 mg; Brewer's yeast (MOS) 98.0 mg; Attapulgit 19.5 mg; *Enterococcus faecium* 2.00 10⁸ UFC; Potassium chloride 9.00 mg; Sodium chloride 1.50 mg; Zinc 0.35 mg.



VETREGUL®



Includes a 50ml bottle with dosing syringe.

Indications of use

Natural formula positively supporting the **digestive tract** and aiding in the **elimination of hairballs**

Instructions for use

Cats:

- **Up to 1 year old:** 0.5ml per day.
- **Adult cats:** 1 ml per day.

Dogs:

- 0.5 ml per 5 kg of weight per day.
- **From 35 kg of weight:** 4 ml per day.

Ferrets and rodents: 0.2 ml per day.

Mix with the animal's regular food.

Animals should always have access to water.

It is recommended to follow up after 6 months of use.

Composition per ml

Malt 572 mg; Fructo-oligosaccharides 86.0 mg; *Yucca shidigera* 18.0 mg (Saponins 9.00 mg).



HEPATOSIL[®] PLUS



Box with 30 tablets with envelopes.

Box with 30 tablets with envelopes.

Boxes with 30 and 60 tablets with envelopes.

Each pack includes 50 ml bottle with dosing syringe. Oral use.

Indications of use

A formula enriched with nutrients that **support the proper functioning of liver cells**

Instructions for use

Hepatosil[®] PLUS GEL

Dogs and Cats:

1 ml per 5 kg of body weight per day.
Shake before use. It is recommended to be mixed with the animal's regular food.
Water should be available at all times.
It is recommended to follow up after 6 months of use.

Hepatosil[®] PLUS Small Breeds

Dogs and Cats:

- Up to 7 kg of body weight: 1 tablet per day.

Hepatosil[®] PLUS Medium Breeds

Dogs:

- From 7 to 10 kg of body weight: 0.5 tablet per day.
- From 10 to 15 kg of body weight: 0.75 tablet per day.
- From 15 to 20 kg of body weight: 1 tablet per day.

Hepatosil[®] PLUS Large Breeds

Dogs:

- From 20 to 30 kg of body weight: 1 tablet per day.
- From 30 to 35 kg of body weight: 1.5 tablets per day.
- From 35 to 40 kg of body weight: 2 tablets per day.
- From 40 kg of body weight: 2.5 tablets per day.

It is recommended that it be mixed with the animal's regular food.
The animals should always have access to water.
It is recommended to follow up after 6 months of use

Composition

Hepatosil[®] PLUS GEL per ml:

Brewers' yeasts 40 mg (Glutathion 1.2 mg); Milk thistle extract 45.5 mg (Silybin 15.0 mg); Taurine 100.0 mg; D,L- Methionine 20.0 mg; Vitamin E 6.00 mg; Selenium 6.50 µg; Zinc 3.5 mg; Vitamin B1 5.0 mg; Vitamin B12 20.0 µg; Folic acid 50.0 µg.

Hepatosil[®] PLUS Small Breeds per tablet:

Brewers' yeasts 312 mg; Vitamin B1 25.0 mg; Thistle seed 49.5 mg (Silybin provided 15.0 mg); Zinc 12.5 mg; Vitamin E 6.00 mg; Folic acid 50.0 µg; Vitamin B12 20.0 µg; Selenium 6.50 µg.

Hepatosil[®] PLUS Medium Breeds per tablet:

Brewers' yeasts 1120 mg; Vitamin B1 100 mg; Thistle seed 224 mg (Silybin provided 68.0 mg); Zinc 50.0 mg; Vitamin E 24.0 mg; Folic Acid 200 µg; Vitamin B12 80.0 µg; Selenio 26.0 µg.

Hepatosil[®] PLUS Large Breeds per tablet:

Brewers' yeasts 1340 mg; Vitamin B1 120 mg; Thistle seed 297 mg (Silybin provided 90.0 mg); Zinc 70.0 mg; Vitamin E 32.0 mg; Folic acid 240 µg; Vitamin B12 96.0 µg; Selenium 36.0 µg.



IRCVET[®]

GEL



Includes a 50ml bottle with dosing syringe.
Oral use.

Indications of use

Nutritional support that aids in the **normal functioning of the renal system in dogs and cats**

Instructions for use

Cats:

- <5 kg of body weight: 1 ml daily.
- >5 kg of body weight: 2 ml daily.

Dogs:

- 1 ml / 5 kg body weight per day.
- From 35 kg body weight: 8 ml per day.

Ferrets and rodents: 0.2 ml per day.

Shake before use.

Mix with the usual feed.

Animals should always have access to water.

It is recommended to follow up after 6 months of use.

Composition per ml

Taurine 50.0 mg; **Calcium carbonate** 45.0 mg; **Calcium acetate** 40.0 mg; **Vitis vinifera dry leaves** 25.4 mg (**Resveratrol** 25.0 mg); **Potassium** 19.0 mg; **Artichoke extract** 14.8 mg (**Cynarin** 740 µg); **Salmon oil** 6.43 mg (**EPA** 630 µg; **DHA** 514 µg); **Vitamin B6** 330 µg; **Folic acid** 36.0 µg; **Vitamin B12** 0.190 µg.

IRCVET[®]

TABLETS



Box containing 60 tablets, in blister packs of 10.

Indications of use

Nutritional support formulated with specific nutrients that **aid in the normal functioning of the renal system in dogs and cats.**

Instructions for use

Cats: 0.5 tablet per day.

Dogs:

- Up to 10 kg of body weight: 0.5 tablet daily.
- 10–20 kg of body weight: 1 tablet daily.
- 20–30 kg of body weight: 1.5 tablets daily.
- Over 30 kg of body weight: 2 tablets daily.

To be taken with food. If preferred, the tablets can be crushed and mixed in with animal regular food.

Animals should always have access to water.

Composition per tablet

Calcium acetate 240 mg; **Vitis vinifera leaves** 102 mg (**Resveratrol** 100 mg); **Artichoke extract** 60.0 mg (**Cynarine** 3.00 mg); **Green tea dry leaves** 20.0 mg (**EGCG** 10.0 mg); **Vitamin B6** 1.30 mg; **Folic acid** 134 µg; **Vitamin B12** 0.66 µg.



Includes one 50ml bottle with a dosing syringe. Oral use.

Indications of use

Formula with nutrients that help in the normal **maintenance of the urinary system, in particular the lower urinary tract.**

Instructions for use

Dogs & cats:

1 ml / 5 kg of body weight/day.
Oral use.
Shake before use.

Composition per ml

Glucosamine 100.0 mg; D-mannose 90.0 mg; Cranberry fruits 60.0 mg; Horsetail powder 35.0 mg; Tryptophan 15.0 mg; Chondroitin sulphate 15.0 mg; Hyaluronic acid 8.00 mg.



Contains 30 tablets, in blister strips of 10.

Indications of use

Nutritional support for dogs and cats in **extended-release bilayer tablet**, formulated with nutrients that promote the proper **functioning of the entire urinary system, particularly the lower urinary tract**

Instructions for use

Cats: 0.5 tablet / 5 kg of body weight per day.
Dogs: 1 tablet / 10 kg of body weight per day.
It is recommended to take the tablets whole or half. Do not crush.

Composition per tablet

Bottom layer (immediate release) / Cranberry dried fruits 80.0 mg; D-mannose 160 mg; *Equisetum arvense* powder 70.0 mg
Top layer (extended release) / Cranberry dried fruits 40.0 mg; HC-15 Complex: Sodium hyaluronate 30.0 mg; Chondroitin sulphate 30.0 mg.



LACTADIET®



**FOR KITTENS
WITH
COLOSTRUM**

300g box with 40 sachets
(1 sachet 7.5g). Bottle and
2 teats included



1005g box with 135
sachets (1 sachet 7.5g).
Bottle and 2 teats
included

Indications of use

Instant formula enriched with nutrients that **support the development of kittens from birth to weaning.**

Instructions for use

Guidance for the correct development on milk volume necessary for a correct development of the kitten.

Baby animal age	Cats aged 1-15 days	Cats aged 15-45 days	Ferrets aged 1-7 days	Ferrets aged 7-15 days	Ferrets aged 15-45 days
Number of daily intakes	6-10	4-6	5	5	5
Total volume (ml/day)	20-40 ml	40-100 ml	3 ml	4-8 ml	8-12 ml

*From 45 days old until the end of weaning, the number of daily feedings and the quantity of milk substitute will be adjusted based on the infants needs.

Composition per sachet:

Linoleic acid 27.1 mg; Linolenic acid 14.1 mg; Omega 3 (EPA+ DHA) 7.50 mg; Colostrum 7.50 mg; Vitamin K 2.83 µg; Calcium 59.4 mg; Phosphorus 41.9 mg; Vitamin A 133 UI; Vitamin D3 19.0 UI; Choline chloride 4.50 mg; Taurine: 3.80 mg; Vitamin E 1.90 mg; Niacinamide 1.20 mg; Vitamin C 750 µg; Calcium D-pantothenate 410 µg; Vitamin B2 300 µg; Vitamin B1 150 µg; Vitamin B6 110 µg; Folic acid 24.0 µg; Biotin 7.50 µg; Vitamin B12 7.50 µg; Iron 750 µg; Manganese 600 µg; Zinc 1.50 mg; Copper 110 µg; Selenium 3.80 µg.

LACTADIET®



**FOR PUPPIES
WITH
COLOSTRUM**

300g box with 40 sachets
(1 sachet 7.5g). Bottle and
2 teats included



1005g box with 135
sachets (1 sachet
7.5g). Bottle and 2
teats included

Indications of use

Instant formula enriched with **nutrients that support the development of newborn puppies from birth to weaning.**

Instructions for use

Guidance for the correct development on milk volume necessary for a correct development of the puppy.

Baby animal age	Daily volume/100 g of body weight	The number of daily meals	Milk volume /Intake/100 g of body weight
1 st week	18-25 ml	6	3-4 ml
2 nd week	18-25 ml	5	4-5 ml
3 rd week	22-28 ml	3	8 ml
From the 4 th week*	24-30 ml	3	9 ml

*From 4 weeks old until the end of weaning, the number of daily feedings and the quantity of milk substitute will be adjusted based on the infants needs.

Composition per sachet:

Linoleic acid 35.1 mg; Linolenic acid 18.3 mg; Omega 3 (EPA+ DHA) 3.75 mg; Colostrum 15.0 µg; Vitamin K 3.65 µg; Calcium 76.8 mg; Phosphorus 54.1 mg; Vitamin A 188 UI; Vitamin D3 25.0 UI; Choline chloride 5.90 mg; Vitamin E 1.20 mg; Niacinamide 1.20 mg; Vitamin C 750 µg; Calcium pantothenate 410 µg; Vitamin B2 300 µg; Vitamin B1 150 µg; Vitamin B6 110 µg; Folic acid 24.0 µg; Biotin 7.50 µg; Vitamin B12 2.30 µg; Iron 750 µg; Manganese 600 µg; Zinc 550 µg; Copper 110 µg; Selenium 3.80 µg.

LACTADIET®



**DOGS -
BIRTH TO
WEANING**

300g box with 40 sachets
(1 sachet 7.5g). Bottle and 3
teats included

1005g box with 135
sachets (1 sachet
7.5g). Bottle and 3
teats included



Indications of use

Instant formula enriched with **nutrients that support the development of puppies from birth to weaning.**

Instructions for use

Guidance for the correct development on milk volume necessary for a correct development of the puppy.

Baby animal age	Daily volume/100 g of body weight	The number of daily meals	Milk volume /Intake/100 g of body weight
1 st week	18-25 ml	6	3-4 ml
2 nd week	18-25 ml	5	4-5 ml
3 rd week	22-28 ml	3	8 ml
From the 4 th week*	24-30 ml	3	9 ml

*From 4 weeks old until the end of weaning, the number of daily feedings and the quantity of milk substitute will be adjusted based on the infants needs.

Composition per sachet:

Linoleic acid 35.1 mg; Linolenic acid 18.3 mg; Omega 3 (EPA+ DHA) 3.75 mg; Vitamin K 3.65 µg; Calcium 76.7 mg; Phosphorus 54.1 mg; Sodium 23.7 mg; Vitamin A 188 UI; Vitamin D3 25.0 UI; Choline chloride 5.90 mg; Vitamin E 1.20 mg; Niacinamide 1.20 mg; Vitamin C 750 µg; Calcium pantothenate 410 µg; Vitamin B2 300 µg; Vitamin B1 150 µg; Vitamin B6 110 µg; Folic acid 24.0 µg; Biotine 7.50 µg; Vitamin B12 2.30 µg; Iron 750 µg; Manganese 600 µg; Zinc 550 µg; Copper 110 µg; Selenium 3.80 µg



CELL HEALTH AND PROTECTION

PROFILAXCEL®



Box of 30 capsules in blisters
of 10

Indications of use

A formula enriched with **essential fatty acids and nutrients that support the proper functioning of various organs, including the mammary glands and prostate gland**

Instructions for use

Cats: 1 capsule every 2 days.

Dogs:

Under 30kg body weight: 1 capsule every 2 days.

Over 30kg body weight: 1 capsule daily.

If you prefer, mix the contents of a capsule with the animal regular feed.

Composition per capsule:

Linseed oil 300 mg (Oleic acid (Omega 9) 52.5 mg, Linoleic acid (Omega 6) 52.5 mg, Linolenic acid (Omega 3)) 173 mg); Pomegranate seed oil 100 mg (Punicic acid (Omega 5)) 70.0 mg); Seaweed oil 87.5 mg (DHA (Omega 3)) 35.0 mg).



LAGRINET[®] NEO



Contains 10 ml multidose bottle, with OSD dosing device.

Indications of use

Hydrating solution for eye hygiene and care.

Instructions for use

Open the bottle and apply one drop to each eye by gently squeezing the container. As it contains no preservatives, it can be used as often as needed. The multi-dose OSD system allows use for up to 3 months after first opening. Suitable for continuous use.

Composition per 100ml

Distilled *Aloe vera* water 10 g; Distilled *Centella asiatica* water 10 g; Sodium hyaluronate 0.15 g.

LACRISTAL[®] NEO



Contains 10 ml multidose bottle, with OSD dosing device.

Indications of use

Eye solution with a balanced formula that cleans the eye without causing irritation, providing protection against harmful external pollutants.

Instructions for use

Open the bottle and apply one drop to each eye by gently squeezing the container. As it contains no preservatives, it can be used as often as needed. The multi-dose OSD system allows use for up to 3 months after first opening. Suitable for continuous use.

Composition per 100ml

N-Acetylcarnosine 1.00%; Chondroitin sulfate 0.15%; extract *Vaccinium myrtillus* 0.0003%.

LUTEIN VITOFTAL[®] PLUS



50 ml bottle with dosage syringe. Oral gel

Indications of use

Formula based on nutrients that support the animal's ocular system.

Instructions for use

Cats:

- Up to 5 kg of body weight: 1 ml per day.
- Over 5 kg of body weight: 2 ml per day.

Dogs:

- 1 ml per 5 kg in weight per day.
 - From 35 kg in weight: 8 ml per day.
- Shake before use. Preferably mix with regular feed.

Composition per ml

Omega 3 from fish oil 26.2 mg (EPA+DHA: 24.2 mg); Taurine 25.3 mg; Algae meal with astaxanthin 13.9 µg; Vitamin C 5.17 mg; Dry marigold flowers with lutein 4.12 µg; Dry green tea leaves with EGCG 2.06 mg; Dry marigold flowers with zeaxanthin 2.06 mg; Zinc 616 µg; D-panthenol 577 µg; Dry *Vitis vinifera* leaves with resveratrol 525 µg; Vitamin E 341 µg; Lycopene from tomato pulp 308 µg; Vitamin A 209 µg; Vitamin B6 209 µg; Vitamin B2 176 µg; Vitamin B1 154 µg; Copper 82.5 µg; Selenium 20.9 µg.



NACOTIL®



Contains a 125 ml. bottle.
Non-oily solution. pH=7.
Otic route

Indications of use

Non-irritant otic solution for external use designed for regular hygiene and cleaning of the ear and ear canal. **Helps maintain the physiological conditions of the ear.**

Instructions for use

1. Position the ear canal as vertically as possible. 2. Apply the product by gently squeezing the container to fill the ear canal with the required amount of **NACOTIL®**, according to its capacity. 3. Massage the base of the ear to ensure even distribution of the product. 4. Clean if necessary:

- Use sterile gauze or cotton to gently clean the inside of the ear canal.
- After cleaning, apply 2–3 additional drops of **NACOTIL®**.
- Wipe the outside of the cannula with clean gauze.

Use **NACOTIL®** for the maintenance of the physiological conditions of the ear. Wait 30 minutes before any subsequent application. For individual use.

Composition per 100ml

N-Acetyl-cysteine 1.0 g; **Boric acid** 1.4 g; **Sodium hyaluronate** 200 mg; **Zinc gluconate** 2.0 g; **Citrus medical limonum essential oil** 100 mg.

OTINET®



Contains 125 ml bottle.
Non-oily solution. pH=5.5.
Otic route.

Indications of use

Otic cleaning solution for external use, non oil based with ph 5.5. Used to regularly clean outer ear. Alcohol free

Instructions for use

Shake the content before use. Squeeze the container and apply the OTINET SOLUTION into the ear canal, whilst stretching the ear lobe. Perform a light massage of the ear to allow the correct distribution of the product. If required, clean the inner ear with cotton wool or sterile gauze. Follow veterinarian instructions.

Composition per 100ml

citrus medical limonum essential oil water 10 g.



OLEODERM®



Pack of 360 capsules in blisters of 10.



Pack of 60 capsules in blisters of 10

Indications of use

A formula enriched with nutrients to **support and maintain healthy skin and a shiny coat for dogs and cats.**

Instructions for use

Cats: 1 capsule every 2 days.

Dogs:

- Up to 10 kg of body weight: 1 capsule every 2 days.
- From 10 to 15 kg of body weight: 1 capsule per day.
- From 15 to 25 kg of body weight: 2 capsules per day.
- From 25 to 35 kg of body weight: 3 capsules per day.
- Over 35 kg of body weight: 4 capsules per day.

If you prefer, pour the content of a capsule in the animal regular feed. As it's a food supplement, it can be taken continually.

Composition per capsule:

Omega 3 from fish oil 100 mg (EPA 47.5 mg, DHA 32.5 mg); Linoleic acid from borage oil (Omega 6) 95.0 mg; Gammalinolenic acid from borage oil (Omega 6) 50.0 mg; Zinc 5.00 mg; calcium D-pantothenate 1.90 mg; Vitamin B2 286 µg; Vitamin B6 285 µg; Vitamin B1 226 µg; Folic acid 115 µg; Biotin 78.0 µg; Vitamin B12 0.12 µg.

ALOEJET



Contains a 50 ml bottle.
Gel/solution for topical use.

Indications of use

Moisturising topical gel designed to **protect small skin lesions, particularly on extremities and sensitive areas like pads, elbows and nose.**

Instructions for use

Apply a little amount of **ALOEJET® GEL** and evenly extend on the affected area of the skin. Apply two or three times a day.

Composition per 100ml

Aloe vera gel 32.9 g; *Centella asiatica* extract 3.29 g; Hydrolyzed collagen 1.10 g; Hyaluronic acid 21.9 mg; Vitamin A 13.8 mg; Vitamin E 2.36 mg.

DERMADUAL®



50 ml bottle with syringe dosage syringe. Oral use.

Indications of use

Nutrient-rich formula designed to **support healthy skin and promote a stronger, shinier coat.**

Instructions for use

Cats (< 1 year old): 0.5 ml per day.

Adults cat: 1 ml per day.

Ferrets: 0.5 ml / kg in weight per day.

Shake before use. Mix it with the animal regular feed.

Composition per ml

Malt 559 mg; **Taurine** 50.0 mg; **Salmon oil** 26.4 mg; **Niacinamide** 6.03 mg; **Vitamin B5** 545 µg; **Folic acid** 499 µg; **Biotin** 394 µg; **Zinc** 302 µg; **Vitamin B6** 220 µg; **Vitamin B2** 174 µg; **Vitamin B1** 162 µg; **Vitamin B12** 0.116 µg.

DERMADIET®



Box of 60 tablets in blisters of 10

Indications of use

Nutrient-enriched formula designed to **support healthy skin and promote a strong, shiny coat in dogs**

Instructions for use

1 tablet /10 kg of body weight per day.

As it's a food supplement, it can be taken continually.

Composition per tablet

Enzymatically hydrolyzed collagen 199 mg; **Hydrolyzed fish collagen** 199 mg; **Omega 3 from fish oil** 20.9 mg; **Niacinamide** 10.0 mg; **Calcium pantothenate** 1.00 mg; **Folic acid** 1.00 mg; **Zinc** 714 µg; **Vitamin B6** 273 µg; **Vitamin B2** 266 µg; **Vitamin B1** 183 µg; **Biotin** 9.95 µg; **Vitamin B12** 0.11 µg.



LYSINVIRAL[®] PLUS



50 ml bottles with dosage syringe.
Oral use.

Indications of use

Nutrient-rich formula that **supports the normal function of a cat's immune system.**

Instructions for use

Cats:

Up to 3 kg of body weight: 1-2 ml daily.

3 kg of body weight or over: 2-4 ml daily.

Shake before use. Take directly or well mixed into the regular food. Recommended use for 2-3 weeks.

Composition per ml

L-Lysine 205 mg; Fish oil 44.8 mg (EPA 15.0 mg, DHA 10.7 mg); Oat bran 12.4 mg (Beta-glucans 8.70 mg); Taurine 15.0 mg; *Lactobacillus acidophilus* 5.0x10⁷ CFU; *Limosilactobacillus reuteri* (inactivated) 30.0 mg; *Lactocaseibacillus rhamnosus* (inactivated) 30.0 mg.

VETINMUNE[®]



Box of 120 tablets in blisters

Indications of use

Formula based on nutrients that **help the normal functioning of the immune system.**

Instructions for use

Cats: 0.5 tablet daily.

Dogs and puppies:

- 1 tablet each 10 kg of body weight daily.
 - Over 40 kg of body weight 4 tablets daily.
- Palatable tablets. Can be chewed or crushed.

Composition per tablet

Fresh royal jelly 105 mg; Oat bran 143 mg (Beta glucans 100 mg); Root of *Scutellaria baicalensis* 50.0 mg (Baicalin 40.0 mg); Barley bran 27.9 mg; Ginseng 17.5 mg (Ginsenosides 14.0 mg); Niacinamide 6.00 mg; Calcium pantothenate 2.00 mg; Vitamin B6 680 µg; Vitamin B2 570 µg; Vitamin B1 460 µg; Folic acid 67.0 µg; Biotin 50.0 µg; Selenium 20.0 µg; Vitamin B12 0.400 µg.

IMMUNITY PLASMORAL[®]



Box of 60 tablets in blisters of 10

Indications of use

Nutrient-based formula designed to **support the normal functioning of the immune system, particularly in situations of immunosuppression, before and after vaccinations and deworming, enhancing the overall immune response of the animal.***

Instructions for use

Cats: 0.5 tablet daily.

Dogs and puppies:

- 1 tablet each 10 kg of body weight daily.
 - Over 40 kg of body weight 4 tablets daily.
- Palatable tablets. Can be chewed or crushed.

Composition per tablet

Plasma proteins 350 mg (Gamma globulins 25.9 mg); Oat bran 143 mg (Beta-glucans 100 mg); *Scutellaria baicalensis* dry root 50.0 mg (Baicalin 40.0 mg); Ginseng 17.5 mg (Ginsenosides 14.0 mg); Vitamin B6 670 µg; Biotin 50.0 µg; Selenium 20.0 µg; Vitamin B12 0.400 µg.



CALMATONINE® XR



Pack containing 120 tablets in blisters of 10 with dispensing envelopes



Pack containing 10 tablets in 1 blister dispensing envelopes

Indications of use

With nutrients that help to **support your pet during times of stress, or anxiety.**

Instructions for use

Cats: 0.5 to 1 tablet daily.

Dogs:

- **Up to 10 kg of body weight:** 0.5 to 1 tablet daily.
- **From 10–20 kg of body weight:** 1 to 2 tablets daily.
- **From 20–30 kg of body weight:** 1.5 to 3 tablets daily.
- **From 30–40 kg of body weight:** 2 to 4 tablets daily.
- **Over 40 kg of body weight:** 3 to 6 tablets daily.

Ferrets and rodents: 0.25 tablet daily.

For occasional use, it is recommended to take 30 minutes to 1 hour before. It can also be taken daily for 6 weeks, continuously. It is recommended to take the tablets whole or split, not crushed.

Composition per tablet

Top layer (immediate release) / Hydrolysed milk protein (provides alpha- caseozepin) 80.0 mg Rice germ (provides GABA) 62.5 mg; Valerian root extract 50.0 mg (Valerenic acid 400 µg); *Passiflora incarnata* extract 50.0 mg (Flavonoids 2.00 mg); Bottom layer (extended release) Tryptophan 130 mg; Vitamin B6 20.0 mg; Magnesium 11.0 mg; Niacinamide 2.77 mg.



**COMING SOON:
NEW GEL FORMAT**

COGNIDINE®



Box containing 60 tablets in blisters of 10.



Box containing 30 tablets in blisters of 10.

Indications of use

Nutritional formula designed to **support the cognitive system in both dogs and cats.**

Instructions for use

Cats: 1 tablet daily.

Dogs:

- **Up to 10 kg of body weight:** 1 tablet daily.
- **From 10–20 kg of body weight:** 2 tablets daily.
- **From 20–30 kg of body weight:** 3 tablets daily.
- **From 30–40 kg of body weight:** 4 tablets daily.
- **Over 40 kg of body weight:** 5 tablets daily.

If it is preferred, it can be crushed and mixed with the animal's regular food.

Composition per tablet

Yeast (*Saccharomyces cerevisiae*) products with uridine 80.0 mg; **Krill meal** 75.0 mg (**Astaxanthin** 5.25 µg, **Omega 3** 5.06 mg); **Tryptophan** 50.0 mg; **Apple pomace, dried** 14.0 mg (**Polyphenols** 5.60 mg, **Quinones** 1.40 mg); **Biotin** 8.00 mg; **Zinc** 5.00 mg; **Vitamin E** 2.19 mg; **Selenium** 6.00 µg.



GEL/SOLUTION

OXISPEED®

50 ml bottle with dosage syringe. Oral use.

Indications of use

Nutritional formula designed to **enhance the vital tone and energy of the animal.**

Instructions for use

Cats:

- Under one year: 0.5 ml daily.
- Over one year: 1 ml daily.

Dogs:

- 0.5 ml per 5 kg of body weight per day.
- Over 35 kg: 4 ml per day.

Ferrets: 0.2 mL per 5 kg of body weight per day.

Take directly or well mixed into the regular food.

Composition per ml

Fresh royal jelly 170 mg; **Taurine** 52.5 mg; **Salmon oil** 6.51 mg; **Yucca schidigera** 1.21 mg; **Tomato pulp** 1.13 mg (**Lycopene** 113 µg); **Rice germ** 935 µg (**Octacosanols** 467 µg); **Pantothenic acid** 0.58 mg; **Biotin** 0.55 mg; **Folic acid** 554 µg; **Vitamin E** 0.41 mg; **Vitamin B6** 0.25 mg; **Beta-carotene** 0.22 mg; **Vitamin B2** 0.19 mg; **Vitamin B1** 0.17 mg; **Selenium** 5.01 µg.

OXISPEED®
TABLETS

Box of 60 tablets in blisters of 10

Indications of use

Nutritional formula designed to **enhance the vitality and energy of dogs, particularly those of advanced age.**

Instructions for use


Dogs:

- 1 tablet/10 kg of body weight per day.
 - Over 40 kg of body weight, take 4 tablets per day.
- As it's a food supplement, it can be taken continually.

Composition per tablet

Fresh royal jelly 100 mg; **Fish oil (provides Omega 3 (EPA + DHA))** 25.0 mg; **Rice germ (provides octacosanols)** 17.0 mg; **Yucca schidigera (provides saponins)** 15.0 mg; **Vitamin E** 1.60 mg; **Vitamin B5** 1.00 mg; **Tomato pulp** 489 µg (**Lycopene** 48.9 µg); **Folic acid** 900 µg; **Vitamin B6** 280 µg; **Vitamin B2** 270 µg; **Vitamin B1** 190 µg; **Beta-carotene** 40.0 µg; **Selenium** 8.50 µg; **Biotin** 8.00 µg.

UK Territory Sales Representatives



Darren

North & N.I. TSR

Email:
dhenson-fisher@opko.com
Mobile:
+44 7428 566152

[Click here](#)



Jonathon

Central TSR
and North London TSR

Email:
JDoyle@opko.com
mobile:
+44 7428 548909

[Click here](#)



Lucinda

Southwest TSR

Email:
lcarter@opko.com
Mobile:
+44 7428 566016

[Click here](#)



Samantha

South & Southeast TSR

Email:
sfullagar@opko.com
Mobile:
+44 7428 548967

[Click here](#)



**OUR PETS
DESERVE THE
BEST**



FOLLOW US!

 www.pharmadiet.com/uk

 [pharmadiet.uk](https://www.facebook.com/pharmadiet.uk)  [pharmadiet.uk](https://www.instagram.com/pharmadiet.uk)  [pharmadiet-uk](https://www.linkedin.com/company/pharmadiet-uk)

**GB Third Country Representative &
Imported and distributed by:**

Pharmadiet UK Ltd.
GB154E0797

Unit 2 Leavesden Lodge 1a
Leavesden Road, Prohal, Watford, United Kingdom WD24 5FR